BASALT





Redefining
Luxury With
Signature
Amenities!



TABLE OF CONTENTS

Hotel Room Amenities

DIGITAL DOOR LOCKS	07
ENERGY SAVER SWITCHES	12
PLAIN CARD	13
LIFT CONTROLLER	13
ENCODER	13
SAFE LOCKERS	14
MINIBARS	16
DO NOT DISTURB SWITCH	19
SMART ANDROID TV	19
MAGNIFYING MIRROR	19
KETTLE SET & KETTLE	20
TELEPHONES	22
MOTION SENSORS	23
HAIR DRYERS	24
HAND DRYERS	26

ABOUT US

OUR STORY

At BASALT, we embarked on a journey in 2016 with a simple yet profound mission – to enhance the hotel experience by providing top-notch accessories that cater to the needs and expectations of both guests and hoteliers

VISION

Our vision is to be the world's premier provider of bespoke luxury amenities, setting the gold standard for craftsmanship & innovation. By strategically expanding our market share and increasing turnover to 149 CR within next 3 years, we aim to deliver sustainable growth and exceptional value to our stakeholders, positioning ourselves as the preferred choice in the global marketplace.

MISSION

Our mission is to blend elegance with functionality, ensuring every product enhances comfort, sophistication & exclusivity in luxury hospitality.

VALUE







CERTIFICATES



ISO 9001:2015 Certified

Ensuring a robust Quality Management System.



HALAL Certified

Complying with internationally recognized Halal standards



GMP Certified

Adhering to Good Manufacturing Practices for safe and high-quality production.





WITH BASALT, **"SECURELY ELEVATE YOUR GUEST EXPERIENCE"**

In today's hospitality industry, ensuring the safety and security of your guests is paramount.

At BASALT, we understand that an enhanced guest experience goes hand-in-hand with top-tier security measures. Each of our meticulously crafted product categories has been designed with security in mind, providing a comprehensive solution to bolster the well-being of your guests throughout their stay.

Each product is designed to provide both security and comfort, enhancing the overall guest experience and ensuring that your establishment is a secure haven for travelers.

Why choose US?









Global Reach





LOCK BHL 701

ATTRIBUTES

Material	Zinc Alloy with surface treatment Plating
Bolt Material	Stainless Steel
Key Card	Mifare Card
Unlocking Record	225 Events / 900 Events
Application	38 - 50 mm Door Thickness For Hotels, Office And Etc.

PARAMETERS

Battery Type - 4 AA Alkaline Battery cell Battery life - 50,000 opening Normally 1 year Operating Temperature - -20 to 60 Operating humidity- <80 %RH Low battery alarm At- 4.8V

VALUE - ADDED

Door Ajar Alarm (Could Be Disabled)



COLORS











LOCK BHL 702

ATTRIBUTES

Material	Zink Alloy with surface treatment Plating
Bolt Material	Stainless Steel
Key Card	Mifare Card
Unlocking Record	225 Events / 900 Events
Application	38 - 50 mm Door Thickness For Hotels, Office And Etc.

PARAMETERS

Battery Type - 4 AA Alkaline Battery cell Battery life - 50,000 opening Normally 1 year Operating Temperature - -20 to 60 Operating humidity - <80 %RH Low battery alarm At- 4.8V

VALUE - ADDED

Door Ajar Alarm (Could Be Disabled)













BLACK



Size

LOCK BHL 703

ATTRIBUTES

Material	Zinc Alloy with surface treatment Plating
Bolt Material	Stainless Steel
Key Card	Mifare Card
Unlocking Record	225 Events / 900 Events
Application	38 - 50 mm Door Thickness For Hotels, Office And Etc.

PARAMETERS

Battery Type - 4 AA Alkaline Battery cell
Battery life - 50,000 opening Normally 1 year
Operating Temperature - -20 to 60
Operating humidity- <80 %RH
Low battery alarm At- 4.8V

VALUE - ADDED

Door Ajar Alarm (Could Be Disabled)



COLORS











LOCK BHL 704

ATTRIBUTES

Material	Stainless steel with surface treatment Plating
Bolt Material	Stainless Steel
Key Card	Mifare Card
Unlocking Record	225 Events / 900 Events
Application	38 - 50mm Door Thickness For Hotels, Office And Etc.

PARAMETERS

Battery Type - 4 AA Alkaline Battery Cell
Battery Life - 50,000 Opening Normally 1 year
Operating Temperature - -20 to 60
Operating Humidity- <80 %RH
Low Battery Alarm At- 4.8V

VALUE - ADDED

Door Ajar Alarm (Could Be Disabled)







GOLDEN

SILVER



LOCK BHL 705

ATTRIBUTES

Material	Stainless steel with surface treatment Plating
Bolt Material	Stainless Steel
Key Card	Mifare Card
Unlocking Record	225 Events / 900 Events
Application	38 - 50 mm Door Thickness For Hotels, Office And Etc.

PARAMETERS

Battery Type - 4 AA Alkaline Battery cell
Battery life - 50,000 opening Normally 1 year
Operating Temperature - -20 to 60
Operating humidity - <80 %RH
Low battery alarm At- 4.8V

VALUE - ADDED

Door Ajar Alarm (Could Be Disabled)



COLORS











Material	Slim design, made of Zinc Alloy for thin or Aluminium door, and Sliding door
Bolt Material	Zinc Alloy
Key Card	Mifare Card
Unlocking Record	225 Events / 900 Events
Application	38 - 50mm Door Thickness For Hotels, Office And Etc.



PARAMETERS

Battery Type - 4 AA Alkaline Battery Cell
Battery Life - 50,000 Opening Normally 1 year
Operating Temperature - -20 to 60
Operating Humidity- <80 %RH
Low Battery Alarm At- 4.8V

VALUE - ADDED

Door Ajar Alarm (Could Be Disabled)









Size



LOCK BHL 707

ATTRIBUTES

Material	Stainless Steel
Bolt Material	Stainless Steel
Key Card	Mifare Card
Unlocking Record	225 Events / 900 Events
Application	38 - 50 mm Door Thickness For Hotels, Office And Etc.

PARAMETERS

Battery Type - 4 AA Alkaline Battery cell Battery life - 50,000 opening Normally 1 year Operating Temperature - -20 to 60 Operating humidity- <80 %RH Low battery alarm At- 4.8V

VALUE - ADDED

Door Ajar Alarm (Could Be Disabled)



COLORS











GOLDEN **RED COPPER**

COFFEE

LOCK BHL 708(A)

ATTRIBUTES

Material	Zinc Alloy with matte surface treatment Plating
Bolt Material	Stainless Steel
Key Card	Temic T5577 Card / Mifare Card
Unlocking Record	225 Events / 900 Events
Application	38 - 50 mm Door Thickness For Hotels, Office And Etc.

PARAMETERS

Battery Type - 4 AA Alkaline Battery cell Battery life - 50,000 opening Normally 1 year Operating Temperature - -20 to 60 Operating humidity - <80 %RH Low battery alarm At- 4.8V

VALUE - ADDED

Door Ajar Alarm (Could Be Disabled)











BLACK

THE ADVANCE SECURITY



LOCK BHL 708(B)

ATTRIBUTES

Material	Zinc Alloy with matte surface treatment Plating
Bolt Material	Stainless Steel
Key Card	Temic T5577 Card / Mifare Card
Unlocking Record	225 Events / 900 Events
Application	38 - 50 mm Door Thickness For Hotels, Office And Etc.

PARAMETERS

Battery Type - 4 AA Alkaline Battery cell Battery life - 50,000 opening Normally 1 year Operating Temperature - -20 to 60 Operating humidity- <80 %RH Low battery alarm At- 4.8V

VALUE - ADDED

Door Ajar Alarm (Could Be Disabled)



COLORS











LOCK BHL 709 ATTRIBUTES

Material	Stainless Steel
Bolt Material	Stainless Steel
Key Card	Mifare Card
Unlocking Record	225 Events / 900 Events
Application	38 - 50mm Door Thickness For Hotels, Office And Etc.



PARAMETERS

Battery Type - 4 AA Alkaline Battery Cell Battery Life - 50,000 Opening Normally 1 year Operating Temperature - -20 to 60 Operating Humidity- <80 %RH Low Battery Alarm At- 4.8V

VALUE - ADDED

Door Ajar Alarm (Could Be Disabled)















PROGRAMABLE - ENERGY SEVER SWITCHES



PROGRAMMABLE ENERGY SAVER SWITCH



NON PROGRAMMABLE ENERGY SAVER SWITCH



ANY CARD ENERGY SAVER SWITCH

FEATURES

Fits In 2 Module **86*86 mm** Standard Indian Metal Boxes **Maximum Current Load** = 40 Amps. **Max Power** = 5000w

Time Delay Of 10-15 Seconds With Indicator Light In Reader.

Size - 86X86X48mm

BASALT PLAIN CARD

FEATURES

- · Material PVC
- · Chip Philips NXP S50
- · Frequency 13.56MHZ
- · Working Distance <5cm
- · Application Access Control System
- · Size 85.6*54
- · Printing CMYK/Offset Printing/SilkPrinting
- · Thickness 0.84mm
- · Type Mifer card



BASALT LIFT CONTROLLER

FEATURES

- · Common Door Reader Type A / B; Mifer 13.56MHZ
- \cdot NO/NC/Common/12V DC/GND/EXIT Fully compatible with our hotel lock software
- \cdot Suit for hotel door where can't install popular hotel lock with handle, e.g. glass door, very thin door.
- · Can use magnetic lock, bolt lock instead,
- · You can also use hotel handle lock as common door lock.



BASALT ENCODER

FEATURES

- · USB Interface with computer Apply to Mifer Card
- · 1 USB 2.0 (With Computer)
- · Power Supply 5V (Powerd by USB)
- · **Software** Hotel Lock

Software Required





Safeguard your guests' valuable possessions with our state-of-the-art electronic safe lockers.

Crafted for both security and ease of use, our electronic safes offer the ultimate protection for your guests' belongings.

Explore our range to provide your guests with peace of mind and the convenience of secure storage during their stay.

SAFE LOCKERS



BSL 701



BSL 702



BSL 703



BSL 704

FEATURES

- Safe Size -Width: 420 * Depth: 370 * Height; 200 mm Mini : Width: 300 * Depth: 200 * Height: 200
- Carton Size 455*405*230mm
- Door Thickness 4mm
- Bony Thickness 1.5mm
- · Solid Are Welded Heavy Gouge Steel Construction.
- Pry-Resistant Door And Dual Live Bolts Ensure Optimal Protection.
- Audit Trail Up To 125 Openings With CEU Devic & Software.
- · Digital Display Screen
- 4 AA 1.5V Powered With Low Battery Indicator.
- 5 Min Freeze System in Case Of The Wrong Code For 3 Times.
- Weight 10/11 Kg.
- You can use manager password.
- Operating Key: Manual Key, Guest Key
- · Inside big LED
- · Hidden Key Hole

ADVANTAGES OF OUR ELECTRONIC SAFE LOCKERS:

- Ourable Construction
- **Guest Satisfaction**



BASALT MINIBARS

BMini 701



FEATURES

- · No compressor
- · Mechanical Control
- · Freon-free
- · Automatic Defrosting
- · Environmental friendly
- · Noise: Less than 30dB

· Carton Size: 460*440*530mm · **Product Size:** 430*410*500mm

· **Power**: 65W/75W

· AC: 220V/60HZ, 110V/60HZ · Temperature Range: 10C - 18C

· G.W.:12.8KG, N.W.:11.8KG

Size



- · Electronic thermostat, Intelligent automatic defrosting system controlled by an IC chip.
- · Semiconductor refrigeration, no compressor operation to ensure no vibration and no noise
- · Foaming with clopentane (C5H10), a CFC. Free thermal insulation with ultra cooling efficiency;
- · Over-head light design, low rated power LED light sensor).
- 100% antibacterial liner to dispel the odor and keep the original taste.
- Thermal regulator for convenient adjustment.
- · 1 shelf and 2 bottle racks.
- · Easy-opened doorknob.

BMini 702



FEATURES

- · No compressor
- · Mechanical Control
- · Freon-free
- · Automatic Defrosting
- · Environmental friendly
- · Noise: Less than 30dB

· Carton Size: 460*440*530mm · Product Size: 430*410*500mm

• **Power**: 65W/75W

· AC: 220V/60HZ, 110V/60HZ

· Temperature Range: 6C - 18C

· G.W.:12.8KG, N.W.:11.8KG

Size



- · Electronic thermostat, Intelligent automatic defrosting system controlled by an IC chip.
- · Semiconductor refrigeration, no compressor peration to ensure no vibration and no noise.
- · Foaming with clopentane (C5H10), a CFC. Free thermal insulation with ultra cooling efficiency;
- · Over-head light design, low rated **power LED light**
- 100% antibacterial liner to dispel the odor and keep the original taste.
- Thermal regulator for convenient adjustment.
- · 1 shelf and 2 bottle racks.
- · Easy-opened doorknob.

BASALT MINIBARS

BMini 703



- · Compressor
- Compressor
- · Mechanical Control
- · Hermetically Sealed
- · Freon-free
- · Automatic Defrosting
- · Environmental friendly
- · Noise: Less than 30dB
- · Fridge Size: 490*500*550mm
- · Power: 456W
- · AC: 220V/60HZ, 110V/60HZ
- · Temperature Range: 10C 18C
- G.W.:12.8KG, N.W.:15KGColor: Black and White

BMini 704



FEATURES

- · Compressor
- · Mechanical Control
- · Hermetically Sealed
- · Freon-free
- · Automatic Defrosting
- · Environmental friendly
- · Noise: Less than 30dB
- · **Fridge Size:** 490*500*550mm
- · Power: 456W
- · **AC**: 220V/60HZ, 110V/60HZ
- · Temperature Range: 6C 18C
- · **G.W**.:12.8KG, **N.W**.:15KG
- · Color: Black and White

Size







BASALT DO NOT DISTURB SWITCH

FEATURES

- · Working Voltage AC 220V 50 HZ.
- · Color White, Black, Customized Colors
- · Bottom Case material Fire-proofing ABS.
- · Materials Tempered glass + metal wrapped.
- · Size 172 mm x 86 mm x 10 mm.
- · Specifications Customized Do Not Disturb Panel,

Logo Customized,

Room Number Customized Digital Touch, Inside Panel - Touch, Outside - Indicators



BASALT SMART ANDROID TV (with your branding)

FEATURES

Rated Voltage: 110-230v.Rated Frequency: 50/60hz.

· Rated power : 75W.

- · Android Smart Tv ,4k,full Hd,Wifi And Hotspot In Built
- · Screen Mirrering, Tv Mirroring,
- · Android 9
- · Q LED
- · WebOS
- · Size:32", 43", 50", 55", 65", 75", 85"



BASALT MAGNIFING MIRROR

FEATURES

- · BMM701 Regular Magnifier Mirror
- · BMM702 LED Magnifier Mirror
- · 3X Magnifier Mirror
- · Components Included: 1 Mirror with Wallmount stand
- \cdot The **elegant design** would be suitable for any family and hotel bathroom, etc.
- \cdot Ideal for applying makeup, wearing contacts and shaving, etc. Used in luxury hotels and spas
- · The short arm can be **foldable**to save space when not in
- · Size: 8 inch & 6 inch



BASALT KETTLE SET & ELECTRONIC KETTLE

Offer a**comforting touch** to your guests with our sleek kettles & kettle sets.

Perfect for brewing a cup of tea or coffee in the comfort of their room, our kettle sets are designed for both style and functionality.

Explore our collection to enhance the in-room beverage experience for your guests.



BASALT KETLLES

KETTLE SET



BKT 701



BKT 702



BKT 703



BKT 704

FEATURES

- 0.8L-1.2 L Electronic Kettle With Different Design In ss304 Material & Plastic Shell with ss304
- 3 Tray Set (Material Melamine, ABS, Wood)
- Power Consumption 1000 1500 W.

KETTLE





BEK 702



BEK 703



BEK 704



BEK 705









BASALT 10 BUTTON TELEPHONE FEATURES

- 10 Speed-Dial Service Buttons Are Available.
- Message Indecator And Message Retrievel Function.
- SMT Technology & Qimei ABS From Taiwan.
- Single Line Operation.
- Best Suitable With EPABXS.


BASALT 6 BUTTON TELEPHONE

FEATURES

- 6 Speed-Dial Service Buttons Are Available.
- Message Indecator And Message Retrievel Function.
- SMT Technology & Qimei ABS From Taiwan.
- Single Line Operation.
- Best Suitable With EPABXS.

BASALT – BATHROOM TELEPHONE FEATURES

- Analogue (TDM) Phone compatible with all major PBX/PABX telephone systems
- Adjustable Handset Volume
- Trimline Format
- Wall-Mount
- Mute, Flash, Redial Keys



BASALT BM701E MOTION SENSOR

- \cdot When someone enters the detection field, it can start the load at once and identify automatically day and night.
- \cdot Best suitable for Bathrooms, Staircase and Passages.
- · Hidden Type

Where to use?

- · Washroom
- · Staircase
- ·Storeroom





HAIR DRYERS -

HAIR DRYERS







BHD 708

Features:

- 1. Voltage: 220V-240V(50Hz-60Hz) 2. Rated Power: 1200-1800w
- 3. Color: White & Black 4. Material: ABS

- 5. Plug: EU plug (No.3)6. Feature: Warm And Cold Air Optional(3 Speed Settings)/Overheating protection
- 7. Air Temperature: 65±15°C 8.certificate: 3C/CE/ROHS



BASALT HAND DRYERS

Crafted for lasting durability and optimal performance, our hand dryers are an ideal enhancement for any restroom or facility.

BHDR 705

1. Colour: White/Black/Silver

2. W * h * d = 285 mm* 695 mm *220 mm

3. Voltage: 220-240V

4. Frequency: 50Hz-60Hz

5. Air Velocity: 310km/h

6. Air Flow: 187m3/h

7. Total Power: 2000W

8. Motor Power: 1300W

9. Heating Element Power: 700W

10. r.p.m.: 29000-33000

11. Weight: 10kg

12. Sound Pressure(at 1m): 78db

13. Drying Time: 10-12sec

14. Protection Rating: IPX1

BHDR 706

1. Colour: White

2. W * h * d = 206 mm* 117 mm *276 mm

3. Total Power : 1600W4. Air Velocity : 28m/s5. Sound Pressure : 62db6. r.p.m : 20000rpm

7. Pcs/Ctn:8

8. Cbm/Ctn: 53.5x37.5x60cm





HAND DRYERS

BHDR 701

Hand dryer

- 1. Voltage: 220V-240V(50Hz-60Hz)
- 2. Rated Power: 1800W
- 3. Color: White
- 4. Air Speed: 15m/s
- 5. Material: ABS
- 6. Plug: EU plug (No.3)
- 7. Feature:Only hot wind
- 8. Air Temperature: 65±15°C
- 9. Warranty: 1 year
- 10.Certificate:CCC/CE/ROHS



High Speed Stainless Steel Hand Dryer

- 1. Voltage: 220V-240V(50Hz-60Hz)
- 2. Rated Power: 1200w
- 3. Color: Silver
- 4. Air Speed: 110m/s
- 5. Material: 304 stainless steel
- 6. Plug: EU plug (No.5)
- 7. Feature:Only hot wind
- 8. Air Temperature: 65±15°C
- 9. Warranty: 1 year
- 10.Certificate:3C/CE/ROHS



High Speed Stainless Steel Hand Dryer


- 1. Voltage: 220V-240V(50Hz-60Hz)
- 2. Rated Power: 1000w
- 3. Color: Silver
- 4. Air Speed: 90m/s
- 5. Material: 304 stainless steel
- 6. Plug: EU plug (No.5)
- 7. Feature: High Speed/Only hot wind
- 8. Air Temperature: 65±15°C
- 9. Warranty: 1 year
- 10.Certificate:3C/CE/ROHS

BHDR 704

High Speed Stainless Steel Hand Dryer

- 1. Voltage: 220V-240V(50Hz-60Hz)
- 2. Rated Power: 1000w
- 3. Color: Silver
- 4. Air Speed: 90m/s
- 5. Material: 304 stainless steel
- 6. Plug: EU plug (No.5)
- 7. Feature: High Speed/Only hot wind
- 8. Air Temperature: 65±15°C
- 9. Warranty: 1 year
- 10.Certificate:3C/CE/ROHS



















Main Office : +91 8401353438 Admin Office : +91 7874100707 Sales Office : +91 7574900707 info@thebasalt.com order@thebasalt.com www.thebasalt.com Head Office: 4th Floor Inspire Business Hub, Sardar Patel Road, Morbi - 363641,

Gujarat, India