## BASALT





Redefining
Luxury With
Signature
Amenities!



# TABLE OF CONTENTS

#### Hotel Room Amenities

DIGITAL DOOR LOCKS	07
ENERGY SAVER SWITCHES	12
PLAIN CARD	13
LIFT CONTROLLER	13
ENCODER	13
SAFE LOCKERS	14
MINIBARS	16
DO NOT DISTURB SWITCH	19
SMART ANDROID TV	19
MAGNIFYING MIRROR	19
KETTLE SET & KETTLE	20
TELEPHONES	22
MOTION SENSORS	23
HAIR DRYERS	24
HAND DRYERS	26

#### **ABOUT US**

### **OUR STORY**

At BASALT, we embarked on a journey in 2016 with a simple yet profound mission – to enhance the hotel experience by providing top-notch accessories that cater to the needs and expectations of both guests and hoteliers

#### VISION

Our vision is to be the world's premier provider of bespoke luxury amenities, setting the gold standard for craftsmanship & innovation. By strategically expanding our market share and increasing turnover to 149 CR within next 3 years, we aim to deliver sustainable growth and exceptional value to our stakeholders, positioning ourselves as the preferred choice in the global marketplace.

#### **MISSION**

Our mission is to blend elegance with functionality, ensuring every product enhances comfort, sophistication & exclusivity in luxury hospitality.

#### VALUE







### **CERTIFICATES**



#### ISO 9001:2015 Certified

Ensuring a robust Quality Management System.




#### **GMP Certified**

Adhering to Good Manufacturing Practices for safe and high-quality production.



#### **HALAL Certified**

Complying with internationally recognized Halal standards





### **"SECURELY ELEVATE YOUR GUEST EXPERIENCE"**

In today's hospitality industry, ensuring the safety and security of your guests is paramount.

At BASALT, we understand that an enhanced guest experience goes hand-in-hand with top-tier security measures. Each of our meticulously crafted product categories has been designed with security in mind, providing a comprehensive solution to bolster the well-being of your guests throughout their stay.

Each product is designed to provide both security and comfort, enhancing the overall guest experience and ensuring that your establishment is a secure haven for travelers.

#### Why choose US?










Global Reach





#### LOCK BHL 701

#### **ATTRIBUTES**

Material	Zinc Alloy with surface treatment Plating
Bolt Material	Stainless Steel
Key Card	Mifare Card
Unlocking Record	225 Events / 900 Events
Application	32-38, 38 - 50 mm Door Thickness For Hotels, Office And Etc.

#### **PARAMETERS**

Battery Type - 4 AA Alkaline Battery cell Battery life - 50,000 opening Normally 1 year Operating Temperature - -20 to 60 Operating humidity- <80 %RH Low battery alarm At- 4.8V

#### **VALUE - ADDED**

Door Ajar Alarm (Could Be Disabled)



#### **COLORS**











GOLDEN

RED COPPER

SILVER

#### **LOCK BHL 702**

#### **ATTRIBUTES**

Material	Zink Alloy with surface treatment Plating
Bolt Material	Stainless Steel
Key Card	Mifare Card
Unlocking Record	225 Events / 900 Events
Application	38 - 50 mm Door Thickness For Hotels, Office And Etc.

#### **PARAMETERS**

Battery Type - 4 AA Alkaline Battery cell Battery life - 50,000 opening Normally 1 year Operating Temperature - -20 to 60 Operating humidity- <80 %RH Low battery alarm At- 4.8V

#### **VALUE - ADDED**

Door Ajar Alarm (Could Be Disabled)



#### **COLORS**













Size

#### **LOCK BHL 703**

#### **ATTRIBUTES**

Material	Zinc Alloy with surface treatment Plating
Bolt Material	Stainless Steel
Key Card	Mifare Card
Unlocking Record	225 Events / 900 Events
Application	38 - 50 mm Door Thickness For Hotels, Office And Etc.

#### **PARAMETERS**

Battery Type - 4 AA Alkaline Battery cell
Battery life - 50,000 opening Normally 1 year
Operating Temperature - -20 to 60
Operating humidity - <80 %RH
Low battery alarm At- 4.8V

#### **VALUE - ADDED**

Door Ajar Alarm (Could Be Disabled)



#### **COLORS**











LOCK BHL 704

#### **ATTRIBUTES**

Material	Stainless steel with surface treatment Plating
Bolt Material	Stainless Steel
Key Card	Mifare Card
Unlocking Record	225 Events / 900 Events
Application	38 - 50mm Door Thickness For Hotels, Office And Etc.

#### **PARAMETERS**

Battery Type - 4 AA Alkaline Battery Cell
Battery Life - 50,000 Opening Normally 1 year
Operating Temperature - -20 to 60
Operating Humidity- <80 %RH
Low Battery Alarm At- 4.8V

#### VALUE - ADDED

Door Ajar Alarm (Could Be Disabled)



#### COLORS







#### **LOCK BHL 705**

#### **ATTRIBUTES**

Material	Stainless steel with surface treatment Plating
Bolt Material	Stainless Steel
Key Card	Mifare Card
Unlocking Record	225 Events / 900 Events
Application	32-38,38 - 50 mm Door Thickness For Hotels, Office And Etc.

#### **PARAMETERS**

Battery Type - 4 AA Alkaline Battery cell
Battery life - 50,000 opening Normally 1 year
Operating Temperature - -20 to 60
Operating humidity- <80 %RH
Low battery alarm At- 4.8V

#### **VALUE - ADDED**

Door Ajar Alarm (Could Be Disabled)



#### **COLORS**















#### **PARAMETERS**

Battery Type - 4 AA Alkaline Battery Cell
Battery Life - 50,000 Opening Normally 1 year
Operating Temperature - -20 to 60
Operating Humidity - <80 %RH
Low Battery Alarm At- 4.8V

#### **VALUE - ADDED**

Door Ajar Alarm (Could Be Disabled)



#### **COLORS**







Size



#### **LOCK BHL 707**

#### **ATTRIBUTES**

Material	Stainless Steel
Bolt Material	Stainless Steel
Key Card	Mifare Card
Unlocking Record	225 Events / 900 Events
Application	38 - 50 mm Door Thickness For Hotels, Office And Etc.

#### **PARAMETERS**

Battery Type - 4 AA Alkaline Battery cell Battery life - 50,000 opening Normally 1 year Operating Temperature - -20 to 60 Operating humidity- <80 %RH

#### **VALUE - ADDED**

Door Ajar Alarm (Could Be Disabled)



#### **COLORS**











LOCK BHL 708(A)

Low battery alarm At- 4.8V

#### **ATTRIBUTES**

Material	Zinc Alloy with matte surface treatment Plating
Bolt Material	Stainless Steel
Key Card	Temic T5577 Card / Mifare Card
Unlocking Record	225 Events / 900 Events
Application	38 - 50 mm Door Thickness For Hotels, Office And Etc.

#### **PARAMETERS**

Battery Type - 4 AA Alkaline Battery cell Battery life - 50,000 opening Normally 1 year Operating Temperature - -20 to 60 Operating humidity- <80 %RH Low battery alarm At- 4.8V

#### **VALUE - ADDED**

Door Ajar Alarm (Could Be Disabled)











**COLORS** 

GOLDEN

RED COPPER

SILVER

Size



#### LOCK BHL 708(B)

#### **ATTRIBUTES**

Material	Zinc Alloy with matte surface treatment Plating
Bolt Material	Stainless Steel
Key Card	Temic T5577 Card / Mifare Card
Unlocking Record	225 Events / 900 Events
Application	38 - 50 mm Door Thickness For Hotels, Office And Etc.

#### **PARAMETERS**

Battery Type - 4 AA Alkaline Battery cell Battery life - 50,000 opening Normally 1 year Operating Temperature - -20 to 60 Operating humidity- <80 %RH Low battery alarm At- 4.8V

#### **VALUE - ADDED**

Door Ajar Alarm (Could Be Disabled)



#### **COLORS**













Material	Stainless Steel
Bolt Material	Stainless Steel
Key Card	Mifare Card
Unlocking Record	225 Events / 900 Events
Application	38 - 50mm Door Thickness For Hotels, Office And Etc.

#### **PARAMETERS**

Battery Type - 4 AA Alkaline Battery Cell Battery Life - 50,000 Opening Normally 1 year Operating Temperature - -20 to 60 Operating Humidity- <80 %RH Low Battery Alarm At- 4.8V

#### **VALUE - ADDED**

Door Ajar Alarm (Could Be Disabled)













**COLORS** 





GOLDEN



#### **PROGRAMABLE - ENERGY SEVER SWITCHES**



PROGRAMMABLE ENERGY SAVER SWITCH



NON PROGRAMMABLE ENERGY SAVER SWITCH



ANY CARD ENERGY SAVER SWITCH

#### **FEATURES**

Fits In 2 Module **86\*86 mm** Standard Indian Metal Boxes **Maximum Current Load** = 40 Amps.

Max Power = 5000w

Time Delay Of 10-15 Seconds With Indicator Light In Reader.

**Size** - 86X86X48mm

## BASALT PLAIN CARD

#### **FEATURES**

- · Material PVC
- · Chip Philips NXP S50
- · Frequency 13.56MHZ
- · Working Distance <5cm
- · **Application** Access Control System
- · Size 85.6\*54
- · Printing CMYK/Offset Printing/SilkPrinting
- · Thickness 0.84mm
- · Type Mifer card



## BASALT LIFT CONTROLLER

#### **FEATURES**

- · Common Door Reader Type A / B; Mifer 13.56MHZ
- $\cdot$  NO/NC/Common/12V DC/GND/EXIT Fully compatible with our hotel lock software
- · Suit for hotel door where can't install popular hotel lock with handle, e.g. glass door, very thin door.
- · Can use magnetic lock, bolt lock instead,
- · You can also use hotel handle lock as common door lock.



### BASALT ENCODER

#### **FEATURES**

- $\cdot$  USB Interface with computer Apply to Mifer Card
- · 1 USB 2.0 (With Computer)
- · Power Supply 5V (Powerd by USB)
- · Software Hotel Lock

Software Required





SAFE LOCKERS — 15/28

#### **SAFE LOCKERS**



**BSL 701** 



**BSL 702** 



**BSL 703** 



**BSL 704** 

#### **FEATURES**

- Safe Size -Width: 420 \* Depth: 370 \* Height: 200 mm Mini : Width: 300 \* Depth: 200 \* Height: 200
- Carton Size 455\*405\*230mm
- Door Thickness 4mm
- Bony Thickness 1.5mm
- Solid Are Welded Heavy Gouge Steel Construction.
- Pry-Resistant Door And Dual Live Bolts Ensure Optimal Protection.
- Audit Trail Up To 125 Openings With CEU Devic & Software.
- · Digital Display Screen
- 4 AA 1.5V Powered With Low Battery Indicator.
- 5 Min Freeze System in Case Of The Wrong Code For 3 Times.
- Weight 10/11 Kg.
- You can use **manager password**.
- Operating Key: Manual Key, Guest Key
- Inside big LED
- · Hidden Key Hole

#### ADVANTAGES OF OUR ELECTRONIC SAFE LOCKERS:

- ✓ Durable Construction
- Guest Satisfaction



#### **BASALT MINIBARS**

#### **BMini 701**



#### **FEATURES**

- · No compressor
- · Mechanical Control
- · Freon-free
- · Automatic Defrosting
- · Environmental friendly
- · Noise: Less than 30dB
- · Carton Size: 460\*440\*530mm
- · Product Size: 430\*410\*500mm
- · Power: 65W/75W
- · AC: 220V/60HZ, 110V/60HZ
- · Temperature Range: 10C 18C
- · G.W.:12.8KG, N.W.:11.8KG

#### Size



- **Electronic thermostat**, Intelligent automatic defrosting system controlled by an **IC chip** .
- Semiconductor refrigeration, **no compressor**operation to ensure **no vibration and no noise** .
- Foaming with clopentane (C5H10), a CFC. Free thermal insulation with ultra cooling efficiency;
- Over-head light design, low rated **power LED light** (magnet sensor).
- 100% antibacterial liner to dispel the odor and keep the original taste.
- · Thermal regulator for convenient adjustment.
- · 1 shelf and 2 bottle racks.
- · Easy-opened doorknob.

#### **BMini 702**



#### **FEATURES**

- · No compressor
- · Mechanical Control
- · Freon-free
- · Automatic Defrosting
- · Environmental friendly
- · Noise: Less than 30dB
- · Carton Size: 460\*440\*530mm
- · **Product Size:** 430\*410\*500mm
- · **Power**: 65W/75W
- · AC: 220V/60HZ, 110V/60HZ
- · Temperature Range: 6C 18C
- · G.W.:12.8KG, N.W.:11.8KG

#### Size



- **Electronic thermostat**, Intelligent automatic defrosting system controlled by an **IC chip**.
- Semiconductor refrigeration, **no compressor**operation to ensure **no vibration and no noise**.
- · Foaming with clopentane (C5H10), a CFC.

Free thermal insulation with ultra cooling efficiency;

- Over-head light design, low rated **power LED light** (magnet sensor).
- 100% antibacterial liner to dispel the odor and keep the original taste.
- Thermal regulator for convenient adjustment.
- · 1 shelf and 2 bottle racks.
- · Easy-opened doorknob.

### **BASALT MINIBARS**

#### BMini 703



- · Compressor
- · Mechanical Control
- · Hermetically Sealed
- · Freon-free
- · Automatic Defrosting
- · Environmental friendly
- · Noise: Less than 30dB

· Fridge Size: 490\*500\*550mm

· Power: 456W

• **AC**: 220V/60HZ, 110V/60HZ • **Temperature Range**: 10C - 18C

• G.W.:12.8KG, N.W.:15KG • Color: Black and White

#### BMini 704



#### **FEATURES**

- · Compressor
- · Mechanical Control
- · Hermetically Sealed
- · Freon-free
- · Automatic Defrosting
- · Environmental friendly
- · Noise: Less than 30dB

· Fridge Size: 490\*500\*550mm

· Power: 456W

• **AC**: 220V/60HZ, 110V/60HZ • **Temperature Range**: 6C - 18C

• **G.W**.:12.8KG, **N.W**.:15KG

· Color: Black and White





### BASALT DO NOT DISTURB SWITCH

#### **FEATURES**

- · Working Voltage AC 220V 50 HZ.
- · Color White, Black, Customized Colors
- · Bottom Case material Fire-proofing ABS.
- · Materials Tempered glass + metal wrapped.
- $\cdot$  Size 172 mm x 86 mm x 10 mm.
- · Specifications Customized Do Not Disturb Panel,

Logo Customized,

Room Number Customized Digital Touch, Inside Panel - Touch, Outside - Indicators



## BASALT SMART ANDROID TV (with your branding)

#### **FEATURES**

Rated Voltage : 110-230v.Rated Frequency : 50/60hz.

· Rated power: 75W.

- · Android Smart Tv ,4k,full Hd,Wifi And Hotspot In Built
- · Screen Mirrering, Tv Mirroring,
- · Android 9
- · Q LED
- · WebOS
- · Size:32", 43", 50", 55", 65", 75", 85"



## BASALT MAGNIFING MIRROR

#### **FEATURES**

- · BMM701 Regular Magnifier Mirror
- $\cdot$  **BMM702 -** LED Magnifier Mirror
- · 3X Magnifier Mirror
- · Components Included: 1 Mirror with Wallmount stand
- · The **elegant design** would be suitable for any family and hotel bathroom, etc.
- $\cdot$  Ideal for applying makeup, wearing contacts and shaving, etc. Used in luxury hotels and spas
- $\cdot$  The short arm can be **foldable** to save space when not in use
- · Size: 8 inch & 6 inch





Offer acomforting touch to your guests with our sleek kettles & kettle sets.

Perfect for brewing a cup of tea or coffee in the comfort of their room, our kettle sets are designed for both style and functionality.



KETTLE SETS \_\_\_\_\_\_

#### **BASALT KETLLES**

#### **KETTLE SET**



**BKT 701** 



**BKT 702** 



**BKT 703** 



**BKT 704** 

#### **FEATURES**

- **0.8L-1.2 L** Electronic Kettle With Different Design In ss304 Material & Plastic Shell with ss304
- 3 Tray Set (Material Melamine, ABS, Wood)
- Power Consumption 1000 1500 W.

#### **KETTLE**



**BEK 701** 



**BEK 702** 



**BEK 703** 



**BEK 704** 



**BEK 705** 









#### **BASALT 10 BUTTON TELEPHONE**

#### **FEATURES**

- 10 Speed-Dial Service Buttons Are Available.
- Message Indecator And Message Retrievel Function.
- SMT Technology & Qimei ABS From Taiwan.
- Single Line Operation.
- Best Suitable With EPABXS.

#### **BASALT 6 BUTTON TELEPHONE**

#### **FEATURES**

- 6 Speed-Dial Service Buttons Are Available.
- Message Indecator And Message Retrievel Function.
- SMT Technology & Qimei ABS From Taiwan.
- · Single Line Operation.
- Best Suitable With EPABXS.

#### **BASALT – BATHROOM TELEPHONE**

#### **FEATURES**

- Analogue (TDM) Phone compatible with all major PBX/PABX telephone systems
- Adjustable Handset Volume
- Trimline Format
- Wall-Mount
- Mute, Flash, Redial Keys



## BASALT BM701E MOTION SENSOR

- $\cdot$  When someone enters the detection field, it can start the load at once and identify automatically day and night.
- $\cdot$  Best suitable for Bathrooms, Staircase and Passages.
- · Hidden Type

#### Where to use?

- · Washroom
- · Staircase
- ·Storeroom





#### HAIR DRYERS -

#### HAIR DRYERS



#### Features:

- 1. Voltage: 220V-240V(50Hz-60Hz)
  2. Rated Power: 1200-1800w
  3. Color: White & Black
  4. Material: ABS
  5. Plug: EU plug (No.3)
  6. Feature: Warm And Cold Air Optional(3 Speed Settings)/Overheating protection
  7. Air Temperature: 65±15°C
  8.certificate: 3C/CE/ROHS

#### **BHDR 705**

- 1. Colour: White/Black/Silver
- 2. W \* h \* d = 285 mm\* 695 mm \*220 mm
- 3. Voltage: 220-240V
- 4. Frequency: 50Hz-60Hz
- 5. Air Velocity: 310km/h
- 6. Air Flow: 187m3/h
- 7. Total Power: 2000W
- 8. Motor Power: 1300W
- 9. Heating Element Power: 700W
- 10. r.p.m.: 29000-33000
- 11. Weight: 10kg
- 12. Sound Pressure(at 1m): 78db
- 13. Drying Time: 10-12sec
- 14. Protection Rating: IPX1

#### **BHDR 706**

- 1. Colour: White
- 2. W \* h \* d = 206 mm\* 117 mm \*276 mm
- 3. Total Power : 1600W4. Air Velocity : 28m/s5. Sound Pressure : 62db
- 6. r.p.m : 20000rpm 7. Pcs/Ctn : 8
- 8. Cbm/Ctn: 53.5x37.5x60cm





#### **HAND DRYERS**

#### **BHDR 701**

Hand dryer

1. Voltage: 220V-240V(50Hz-60Hz)

2. Rated Power: 1800W

3. Color: White

4. Air Speed: 15m/s

5. Material: ABS

6. Plug: EU plug (No.3)

7. Feature: Only hot wind

8. Air Temperature: 65±15°C

9. Warranty: 1 year

10.Certificate:CCC/CE/ROHS





#### **BHDR 702**

High Speed Stainless Steel Hand Dryer

1. Voltage: 220V-240V(50Hz-60Hz)

2. Rated Power: 1200w

3. Color: Silver

4. Air Speed: 110m/s

5. Material: 304 stainless steel

6. Plug: EU plug (No.5)

7. Feature:Only hot wind

8. Air Temperature: 65±15°C

9. Warranty: 1 year

10.Certificate:3C/CE/ROHS





#### **BHDR 703**

High Speed Stainless Steel Hand Dryer

1. Voltage: 220V-240V(50Hz-60Hz)

2. Rated Power: 1000w

3. Color: Silver

4. Air Speed: 90m/s

5. Material: 304 stainless steel

6. Plug: EU plug (No.5)

7. Feature: High Speed/Only hot wind

8. Air Temperature: 65±15°C

9. Warranty: 1 year

10.Certificate:3C/CE/ROHS





#### **BHDR 704**

High Speed Stainless Steel Hand Dryer

1. Voltage: 220V-240V(50Hz-60Hz)

2. Rated Power: 1000w

3. Color: Silver

4. Air Speed: 90m/s

5. Material: 304 stainless steel

6. Plug: EU plug (No.5)

7. Feature: High Speed/Only hot wind

8. Air Temperature: 65±15°C

9. Warranty: 1 year

10.Certificate:3C/CE/ROHS







Main Office : +91 8401353438 Admin Office : +91 7874100707 Sales Office : +91 7574900707 info@thebasalt.com order@thebasalt.com www.thebasalt.com Head Office: 4th Floor Inspire Business Hub, Sardar Patel Road, Morbi - 363641,

Gujarat, India