


BASALT

WWW.THEBASALT.COM | Edition 2026-27



Redefining
Luxury With
Signature
Amenities



ABOUT US

OUR STORY

At BASALT, we embarked on a journey in 2016 with a simple yet profound mission to enhance the hotel experience by providing top-notch accessories that cater to the needs and expectations of both guests and hoteliers.

VISION

Our vision is to be the world's premier provider of bespoke luxury amenities, setting the gold standard for craftsmanship & innovation. By strategically expanding our market share and increasing turnover to 149 CR within next 3 years, we aim to deliver sustainable growth and exceptional value to our stakeholders, positioning ourselves as the preferred choice in the global marketplace.

MISSION

Our mission is to blend elegance with functionality, ensuring every product enhances comfort, sophistication & exclusivity in luxury hospitality.

VALUE

 TRUST  TEAM WORK  COMMITMENT

 HONESTY  INNOVATION  TRANSPARENCY


 QUALITY & EXCELLENCE

TABLE OF CONTENTS

BASALT

Hotel Electronic Amenities

DIGITAL DOOR LOCKS	07
ENERGY SAVER SWITCHES	12
PLAIN CARD	13
LIFT CONTROLLER	13
ENCODER	13
SAFE LOCKERS	14
MINIBARS	16
DO NOT DISTURB SWITCH	19
SMART ANDROID TV	19
MAGNIFYING MIRROR	19
KETTLE SET & KETTLE	20
TELEPHONES	22
MOTION SENSORS	23
HAIR DRYERS	24
HAND DRYERS	26
HOTEL AUTOMATION	28



OUR VALUED CUSTOMER

BASALT

Together Building Excellence in Hospitality



अतिथि देवो भव
Mansingh Inn



Hotels & Resorts





BASALT

WITH BASALT, "SECURELY ELEVATE YOUR GUEST EXPERIENCE"

In today's hospitality industry, ensuring the safety and security of your guests is paramount.

At **BASALT**, we understand that an enhanced guest experience goes hand-in-hand with top-tier security measures. Each of our meticulously crafted product categories has been designed with security in mind, providing a comprehensive solution to bolster the well-being of your guests throughout their stay.


Each product is designed to provide both security and comfort, enhancing the overall guest experience and ensuring that your establishment is a secure haven for travelers.

Why choose US?

-  Unparalleled Quality
-  Sustainability
-  Innovation and Technology
-  Trust and Reliability
-  Global Reach



WITH BASALT ELEVATING HOTEL SECURITY TO A NEW ELECTRONIC STANDARD




LOCK BHL 701 ATTRIBUTES


Material	Zinc Alloy with surface treatment Plating
Bolt Material	Stainless Steel
Key Card	Mifare Card
Unlocking Record	225 Events / 900 Events
Application	30-40 mm 40 - 50 mm Door Thickness For Hotels

PARAMETERS

Battery Type -	4 AA Alkaline Battery cell
Battery Life -	50,000 opening Normally 1 year
Operating Temperature -	-20 to 60
Operating Humidity-	<80 %RH
Low Battery Alarm At-	4.8V



COLORS




LOCK BHL 702 ATTRIBUTES


Material	Zinc Alloy with surface treatment Plating
Bolt Material	Stainless Steel
Key Card	Mifare Card
Unlocking Record	225 Events / 900 Events
Application	38 - 50 mm Door Thickness For Hotels

PARAMETERS

Battery Type -	4 AA Alkaline Battery cell
Battery Life -	50,000 opening Normally 1 year
Operating Temperature -	-20 to 60
Operating Humidity-	<80 %RH
Low Battery Alarm At-	4.8V



COLORS




LOCK BHL 703 ATTRIBUTES


Material	Zinc Alloy with surface treatment Plating
Bolt Material	Stainless Steel
Key Card	Mifare Card
Unlocking Record	225 Events / 900 Events
Application	38 - 50 mm Door Thickness For Hotels

PARAMETERS

Battery Type -	4 AA Alkaline Battery cell
Battery Life -	50,000 opening Normally 1 year
Operating Temperature -	-20 to 60
Operating Humidity-	<80 %RH
Low Battery Alarm At-	4.8V



COLORS




LOCK BHL 704 ATTRIBUTES

Material	Aluminium
Bolt Material	Stainless Steel
Key Card	Mifare Card
Unlocking Record	225 Events / 900 Events
Application	38 - 50 mm Door Thickness For Hotels

PARAMETERS

Battery Type -	4 AA Alkaline Battery cell
Battery Life -	50,000 opening Normally 1 year
Operating Temperature -	-20 to 60
Operating Humidity-	<80 %RH
Low Battery Alarm At-	4.8V



COLORS




LOCK BHL 705 ATTRIBUTES

Material	SS 304 Stainless Steel
Bolt Material	Stainless Steel
Key Card	Mifare Card
Unlocking Record	225 Events / 900 Events
Application	30-40 mm 40 - 50 mm Door Thickness For Hotels

PARAMETERS

Battery Type -	4 AA Alkaline Battery cell
Battery Life -	50,000 opening Normally 1 year
Operating Temperature -	-20 to 60
Operating Humidity-	<80 %RH
Low Battery Alarm At-	4.8V



COLORS




LOCK BHL 706 ATTRIBUTES

Material	SS 304
Bolt Material	Stainless Steel
Key Card	Mifare Card
Unlocking Record	225 Events / 900 Events
Application	38 - 50 mm Door Thickness For Hotels

PARAMETERS

Battery Type -	4 AA Alkaline Battery cell
Battery Life -	50,000 opening Normally 1 year
Operating Temperature -	-20 to 60
Operating Humidity-	<80 %RH
Low Battery Alarm At-	4.8V



COLORS





LOCK BHL 707 ATTRIBUTES

Material	Zinc Alloy with surface treatment Plating
Bolt Material	Stainless Steel
Key Card	Mifare Card
Unlocking Record	225 Events / 900 Events
Application	38 - 50 mm Door Thickness For Hotels

PARAMETERS

Battery Type -	4 AA Alkaline Battery cell
Battery Life -	50,000 opening Normally 1 year
Operating Temperature -	-20 to 60
Operating Humidity-	<80 %RH
Low Battery Alarm At-	4.8V



COLORS





LOCK BHL 708 ATTRIBUTES

Material	Zinc Alloy with surface treatment Plating
Bolt Material	Stainless Steel
Key Card	Mifare Card
Unlocking Record	225 Events / 900 Events
Application	38 - 50 mm Door Thickness For Hotels

PARAMETERS

Battery Type -	4 AA Alkaline Battery cell
Battery Life -	50,000 opening Normally 1 year
Operating Temperature -	-20 to 60
Operating Humidity-	<80 %RH
Low Battery Alarm At-	4.8V



COLORS




LOCK BHL 709 ATTRIBUTES

Material	Zinc Alloy with surface treatment Plating
Bolt Material	Stainless Steel
Key Card	Mifare Card
Unlocking Record	225 Events / 900 Events
Application	38 - 50 mm Door Thickness For Hotels

PARAMETERS

Battery Type -	4 AA Alkaline Battery cell
Battery Life -	50,000 opening Normally 1 year
Operating Temperature -	-20 to 60
Operating Humidity-	<80 %RH
Low Battery Alarm At-	4.8V






BASALT ENERGY SAVER SWITCHES

FEATURES :-

Time Delay of 10-15 Seconds After Keycard is Removed.

- **Maximum Current Load** : 40 Amps.
- **Max Power** : 5000w
- **Size** : 86X86X48mm
- **Module Size** : Fits In 2 Module **86*86 mm** Standard Indian Metal Boxes



**PROGRAMMABLE
ENERGY SAVER
SWITCH**



**NON
PROGRAMMABLE
ENERGY SAVER
SWITCH**



**ANY CARD
ENERGY SAVER
SWITCH**

BASALT KEY CARD

FEATURES :-

Material	:	PVC
Chip	:	Philips NXP S50
Frequency	:	13.56MHZ
Working	:	Distance <5cm
Application	:	Access Control System
Size	:	85.6*54
Printing	:	CMYK/Offset Printing/SilkPrinting
Thickness	:	0.84mm
Type	:	Mifer card



BASALT LIFT ACCESS CONTROLLER

FEATURES :-

- This controller is used to segregate and provide access to different floors.



BASALT COMMON ACCESS CONTROLLER

FEATURES :-

- Common Door Reader Type A / B; Mifer 13.56MHZ
- NO/NC/Common/12V DC/GND/EXIT Fully compatible with our hotel lock software
- Can use magnetic lock, bolt lock instead.
- You can also use hotel handle lock as common door lock.




BASALT ENCODER

FEATURES :-

- USB Interface with computer Apply to Mifer Card
- 1 USB 2.0 (With Computer)
- Power Supply - 5V (Powered by USB)
- Software Hotel Lock
- Software Required





BASALT 10 BUTTON TELEPHONE



FEATURES :-

- 10 Speed-Dial Service Buttons Are Available.
- Message Indecator And Message Retrievel Function.
- SMT Technology & Qimei ABS From Taiwan.
- Single Line Operation.
- Best Suitable With EPABXS.

BASALT 6 BUTTON TELEPHONE



FEATURES :-

- 06 Speed-Dial Service Buttons Are Available.
- Message Indecator And Message Retrievel Function.
- SMT Technology & Qimei ABS From Taiwan.
- Single Line Operation.
- Best Suitable With EPABXS.

BASALT BATHROOM TELEPHONE



FEATURES :-

- Analogue (TDM) Phone compatible with all major PBX/PABX telephone systems
- Adjustable Handset Volume
- Trimline Format
- Wall-Mount
- Mute, Flash, Redial Keys

BASALT LOBBY TELEPHONE



FEATURES :-

- Analogue (TDM) Phone compatible with all major PBX/PABX telephone systems
- Adjustable Handset Volume
- Trimline Format
- Wall-Mount
- Mute, Flash, Redial Keys

BASALT DO NOT DISTURB SWITCH

FEATURES :-

Working Voltage	: AC 220V 50 HZ.
Color	: White, Black, Customized Colors
Bottom Case material	: Fire-proofing ABS.
Materials	: Tempered glass + metal wrapped.
Size	: 172 mm x 86 mm x 10 mm.
Specifications	: Customized Do Not Disturb Panel, Logo Customized, Room Number Customized Digital Touch, Inside - touch switch , out side - indicators and Touch bell



BASALT MAGNIFYING MIRROR

FEATURES :-

Components Included : 1 Mirror with Wallmount stand

Size : 8 inch & 6 inch

Material : Brass & SS 304

- 5X & 3X Magnifying Mirror
- The elegant design would be suitable for any family and hotel bathroom, etc.
- Ideal for applying makeup, wearing contacts and shaving etc. Used in luxury hotels and spas.
- The short arm can be foldable to save space when not in use.



BMM701 Regular



BMM702 LED

BASALT MOTION SENSOR

Where to use?

Washroom

Staircase

Storeroom

- Hidden Type
- Best suitable for Bathrooms, Staircase and Passages.
- When someone enters the detection field, it can start the load at once and identify automatically day and night.




BASALT SAFE LOCKERS

BASALT

Safeguard your guests' valuable possessions with our state-of-the-art electronic safe lockers.

Crafted for both security and ease of use, our electronic safes offer the ultimate protection for your guests' belongings.

Explore our range to provide your guests with peace of mind and the convenience of secure storage during their stay.



SAFE LOCKERS

SPECIFICATIONS :-

Carton Size	: 455 x 405 x 230 MM
Door Thickness	: 4 MM
Body Thickness	: 1.5 MM
Solid Area	: Welded Heavy Gouge Steel Construction.
Weight	: 10/11 Kg
Operating Key	: Manual Key, Guest Key

ADVANTAGES :-

- Top-Tier Security
- User-Friendly
- Durable Construction
- Sleek Design
- Guest Satisfaction

FEATURES :-

- Pry-Resistant Door And Dual Live Bolts Ensure Optimal Protection.
- Digital Display Screen.
- 4 AA 1.5V Powered With Low Battery Indicator.
- 5 Min Freeze System in Case Of The Wrong Code For 3 Times.
- Audit Trail Up To 125 Openings With CEU Devic & Software.
- You can use manager password.
- Inside big LED
- Hidden Key Hole



BSL 701



W x D x H : 420 x 370 x 200 MM

BSL 702



W x D x H : 420 x 370 x 200 MM

BSL 703



W x D x H : 420 x 370 x 200 MM

BSL 704



W x D x H : 300 x 200 x 200 MM


BASALT MINIBARS

BASALT

Safeguard your guests' valuable possessions with our state-of-the-art electronic safe lockers.

Crafted for both security and ease of use, our electronic safes offer the ultimate protection for your guests' belongings.

Explore our range to provide your guests with peace of mind and the convenience of secure storage during their stay.



BASALT MINIBARS - THERMO ELECTRIC




BMINI 701

Capacity

40L

Size



SPECIFICATION :-

- No compressor
- Mechanical Control
- Freon-free
- Automatic Defrosting
- Environmental friendly
- **Noise:** Less than 30dB
- **Carton Size:** 460*440*530mm
- **Product Size:** 430*498*510mm
- **Power:** 65W/75W
- **Temperature Range:** 10C-18C
- **G.W.:** 12.8KG, **N.W.:** 11.8KG

FEATURES :-

- **Electronic thermostat**, Intelligent automatic defrosting system controlled by an **IC chip**.
- Semiconductor refrigeration, **no compressor** operation to ensure **no vibration and no noise**.
- Foaming with clopentane (C5H10), a CFC. Free thermal insulation with ultra cooling efficiency:
- Over-head light design, low rated **power LED light** (magnet sensor).
- **100% antibacterial** liner to dispel the odour and keep the original taste.
- **Thermal regulator** for convenient adjustment.
- 1 shelf and 2 bottle racks.
- Easy-opened doorknob.




BMINI 702

Capacity

40L

Size



SPECIFICATION :-

- No compressor
- Mechanical Control
- Freon-free
- Automatic Defrosting
- Environmental friendly
- **Noise:** Less than 30dB
- **Carton Size:** 460*440*530mm
- **Product Size:** 430*498*510mm
- **Power:** 65W/75W
- **Temperature Range:** 6C-18C
- **G.W.:** 12.8KG, **N.W.:** 11.8KG

FEATURES :-

- **Electronic thermostat**, Intelligent automatic defrosting system controlled by an **IC chip**.
- Semiconductor refrigeration, **no compressor** operation to ensure **no vibration and no noise**.
- Foaming with clopentane (C5H10), a CFC. Free thermal insulation with ultra cooling efficiency:
- Over-head light design, low rated **power LED light** (magnet sensor).
- **100% antibacterial** liner to dispel the odour and keep the original taste.
- **Thermal regulator** for convenient adjustment.
- 1 shelf and 2 bottle racks.
- Easy-opened doorknob.



BASALT MINI FRIDGE

SPECIFICATION :-

- Compressor
- Mechanical Control
- Hermetically Sealed
- Freon-free
- Automatic Defrosting
- Environmental friendly
- **Noise:** Less than 30dB
- **Fridge Size:** 490*500*550mm
- **Power:** 456W
- **Temperature Range:** 10C - 18C
- **G.W.:** 12.8KG, **N.W.:** 15KG
- **Color:** Black and White




BMINI 703

Capacity

50L

Size




BMINI 704

Capacity

50L

Size



SPECIFICATION :-

- Compressor
- Mechanical Control
- Hermetically Sealed
- Freon-free
- Automatic Defrosting
- Environmental friendly
- **Noise:** Less than 30dB
- **Fridge Size:** 490*500*550mm
- **Power:** 456W
- **Temperature Range:** 6C - 18C
- **G.W.:** 12.8KG, **N.W.:** 15KG
- **Color:** Black and White

BASALT MINIBARS - ABSORPTION

SPECIFICATION :-


- **Cooling Technology:** Absorption cooling system
- **Auto Defrost:** Yes
- **Noise:** 0 dB
- **Size:** H545 × W435 × D455 mm
- **Packing Size:** H600 × W470 × D485 mm
- **Voltage:** 220-240V / 50-60Hz
- **Watts Input:** 60W
- **Energy Consumption:** 0.85 kWh / 24 hours
- **Average Temperature:** 10-15°C for glass door
- **G.W.:** 17KG, **N.W.:** 15KG
- **Door Hinge:** Both sides



BMINI 705


Capacity
38L

Size



SPECIFICATION :-


- **Cooling Technology:** Absorption cooling system
- **Auto Defrost:** Yes
- **Noise:** 0 dB
- **Size:** H545 × W435 × D455 mm
- **Packing Size:** H600 × W470 × D485 mm
- **Voltage:** 220-240V / 50-60Hz
- **Watts Input:** 60W
- **Energy Consumption:** 0.85 kWh / 24 hours
- **Average Temperature:** 0-8°C for Solid Door
- **G.W.:** 17KG, **N.W.:** 15KG
- **Door Hinge:** Both sides



BMINI 706

Capacity
38L

Size



BASALT KETTLE SET

BASALT

Offer a comforting touch to your guests with our sleek kettles & kettle sets.

Perfect for brewing a cup of tea or coffee in the comfort of their room, our kettle sets are designed for both style and functionality.

Explore our collection to enhance the in-room beverage experience for your guests.



KETTLE SETS

BASALT KETTLE SET



BKT 701



BKT 702



BKT 703



BKT 704

FEATURES :-

0.8L-1.2 L Electronic Kettle With Different Design In SS 304 Material & Plastic Shell with SS 304

3 Tray Set (Material - Melamine, ABS, Wood)

Power Consumption - 1000-1500 W.

BASALT KETTLE



BEK 701



BEK 702



BEK 703




BEK 704

BASALT TRAY



BT 701



BT 702

FEATURES :-

- Stainless Steel
- 360° Rotational
- Material : ABS
- Tray : 363*240*30 MM
- Color : Black /white option

FEATURES :-

- Material : Melamine
- Big Tray : 385*325*22.5 MM
- Small Tray : 335*132*11 MM
- Tea Box : 155*115*50 MM
- Color : Black /white option


BASALT HAIR DRYERS

BASALT

Ensure your guests always look their best with our professional-grade hair dryers.

Designed for durability and performance, our hair dryers are a perfect addition to any hotel room.

Explore our range to provide your guests with the convenience of salon-quality drying during their stay.



HAIR DRYERS

HAIR DRYERS

BHD 701



FEATURES :-

- Rated Power : 1300w
- Color : White & Black
- Air Flow/Speed : Only Warm Air

BHD 702



FEATURES :-

- Rated Power : 1300w
- Color : White
- Air Flow/Speed : Only Warm Air

BHD 703



FEATURES :-

- Rated Power : 1600w
- Color : White
- Air Flow/Speed : Warm & Cold Air

BHD 704



FEATURES :-

- Rated Power : 1875w
- Color : White
- Air Flow/Speed : Warm & Cold Air

BHD 705



FEATURES :-

- Rated Power : 1600w
- Color : White
- Air Flow/Speed : Warm & Cold Air

BHD 706



FEATURES :-

- Rated Power : 1875w
- Color : White
- Air Flow/Speed : Warm & Cold Air

BHD 707



FEATURES :-

- Rated Power : 1300w
- Color : Black
- Air Flow/Speed : Warm & Cold Air


BHD 708



FEATURES :-

- Rated Power : 1300w
- Color : Black
- Air Flow/Speed : Warm & Cold Air





BASALT

Keep guests connected with our reliable and stylish hotel telephones.

Featuring modern features and designs, our telephones offer clear communication and convenience.

Explore our collection to provide guests with an essential link to the outside world during their stay.

BASALT HAND DRYERS

Crafted for lasting durability and optimal performance, our hand dryers are an ideal enhancement for any restroom or facility.

FEATURES :-

- Colour** : White
- Rated Power** : 1800W
- Voltage** : 220-240V(50Hz-60Hz)
- Material** : ABS
- Air Speed** : 15m/s
- Plug** : EU plug (No.3)
- Feature** : Only hot wind
- Air Temperature** : 65±15°C

BHDR 701




FEATURES :-

High Speed Stainless Steel Hand Dryer

- Colour** : Silver
- Rated Power** : 1200W
- Voltage** : 220-240V(50Hz-60Hz)
- Material** : 304 SS Steel
- Air Speed** : 110m/s
- Plug** : EU plug (No.5)
- Feature** : Only hot wind
- Air Temperature** : 65±15°C

BHDR 702




HAND DRYERS

FEATURES :-

High Speed Stainless Steel Hand Dryer


Colour	: Silver
Rated Power	: 1000W
Voltage	: 220-240V(50Hz-60Hz)
Material	: 304 SS Steel
Air Speed	: 90m/s
Plug	: EU plug (No.3)
Feature	: Only hot wind
Air Temperature	: 65±15°C

BHDR 703


FEATURES :-

High Speed Stainless Steel Hand Dryer

Colour	: Silver
Rated Power	: 1000W
Voltage	: 220-240V(50Hz-60Hz)
Material	: 304 SS Steel
Air Speed	: 15m/s
Plug	: EU plug (No.3)
Feature	: Only hot wind
Air Temperature	: 65±15°C

BHDR 704



FEATURES :-

Colour	: White/Black/Silver
Size	: 285 mm x 695 mm x 220 mm
Voltage	: 220-240V
Frequency	: 50Hz-60Hz
Air Velocity	: 310km/h
Air Flow	: 187m ³ /h
Total Power	: 2000W
Motor Power	: 1300W
Heating Element Power	: 700W
R.m.p.	: 29000-33000
Weight	: 10 kg
Sound Pressure (at 1m)	: 78db
Drying Time	: 10-12 sec
Protection Rating	: IPX1

BHDR 705


FEATURES :-

Colour	: White
Size	: 206 mm x 117 mm x 276 mm
Total Power	: 1600W
Air Velocity	: 28m/s
Sound Pressure	: 62db
R.m.p.	: 20000
Pcs/ Ctn	: 8

BHDR 706


BASALT



SMART HOSPITALITY SOLUTIONS

BASALT

About Hospitality

The Future of Room Control at a Single Touch In the modern hospitality landscape, luxury is defined by convenience and personalization. Our bespoke smart touch panels integrate seamlessly into your hotel's interior, providing guests with intuitive control over their environment while streamlining your operational efficiency.


We make your hotel look premium and your guests feel in control.



BASALT

SMART TOUCH PANEL

CORRIDOR PANEL



ENTRY PANEL



LEFT SIDE BED PANEL



RIGHT SIDE BED PANEL

We Offer Smart Panels That Are Easy To Use And Look Great. You Can Choose The Size That Fits Your Room

Available Sizes: **2 M, 4 M, 6&8, M, 12 M**

Custom Icons: We can change the pictures (icons) on the buttons to match your hotel's style.


BASALT


EASY FOR YOUR HOTEL SOLUTIONS


Our System Makes The Stay Better For Guests And Easier For Your Staff.



 Guest Privacy


 Smart Climate & Lighting Automation

 Staff Sync

 Elegant Night Mode & Dimming & Tuning

 Centralized Staff Dashboard





ALL-IN-ONE HOTEL MANAGEMENT PORTAL

- Manage All Rooms
- Housekeeping Made Easy
- Smart Temperature Management
- Maintenance Alerts
- Total Control



BASALT

PARTNERS IN HOSPITALITY



Ramada By Wyndham Kochi



Raffles Ranthambore



BASALT

INDIA | UAE

Main Office: +91 84013 53438

Admin Office: +91 78741 00707

Sales Office: +91 75749 00707

info@thebasalt.com

order@thebasalt.com

www.thebasalt.com

Head Office: 4th Floor Inspire
Business Hub, Sardar Patel Road,
Morbi - 363641, Gujarat, India